



600, Bancroft Way Suite A
Berkeley, CA 94710
Tel. (510) - 704-8930

Test Lab Cert. 3034.01

Customer: SofTap Inc
Address: 550 North Canyons Pkwy
Livermore, CA 94551


ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS

Sample Name: **Sterile Tan Ink**
Batch/Lot Number: 405, Lot: 8, 02/14
Sample Description: R/D Samples, 7 mL
Rush: 24 Hours
MQL accession# 121102-0050
Sample date: 11/02/18

Test Performed:	Test Method Number:	Client Specification:	Results:
Lead (Pb)	MQLTM-0278 By ICP-MS	Report	Not Detected
Arsenic (As)	MQLTM-0278 By ICP-MS	Report	0.022ppm
Cadmium (Cd)	MQLTM-0278 By ICP-MS	Report	0.082ppm
Mercury (Hg)	MQLTM-0278 By ICP-MS	Report	Not Detected

Prepared By: 
Danielle Barton / Document Control

NOV 07 2018
11/07/18

Reviewed By: 
Aritz Tijerino / Document Control

NOV 07 2018
11/07/18

Comment: N/A

_____ is an A2LA ISO 17025 accredited testing laboratory (Certificate Number 3034.01). The requirements of ISO 17025 were followed for the test, results and preparation of this certificate of analysis.

_____ s scope of accreditation may be found on _____ websites.
The aforementioned results on this report are representative of the samples submitted and may not be indicative of the entire manufacture, batch, and/or lot. Applicable current GMP's shall always be used when sampling. GLP's shall always be practiced by _____ s to ensure the most accurate results