



600, Bancroft Way Suite A
Berkeley, CA 94710
Tel. (510) - 704-8930

Test Lab Cert. 3034.01


Customer: SofTap Inc

Address: 550 North Canyons Pkwy
Livermore, CA 94551

ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS

Sample Name: **Sterile Brown Ink**
Batch/Lot Number: 070, Lot: 8, 02/16
Sample Description: R/D Samples, 7 mL
Rush: 24 Hours
MQL accession# 121102-0051 Sample
date: 11/02/18

Test Performed:	Test Method Number:	Client Specification:	Results:
Lead (Pb)	MQLTM-0278 By ICP-MS	Report	Not Detected
Arsenic (As)	MQLTM-0278 By ICP-MS	Report	0.318ppm
Cadmium (Cd)	MQLTM-0278 By ICP-MS	Report	0.007ppm
Mercury (Hg)	MQLTM-0278 By ICP-MS	Report	Not Detected

Prepared By: 
Danielle Barton/Document Control

NOV 07 2018
11/07/18

Reviewed By: 
Aritz Tijerino/Document Control

NOV 07 2018
11/07/18

Comment: N/A

is an A2LA ISO 17025 accredited testing laboratory (Certificate Number 3034.01). The requirements of ISO 17025 were followed for the test, results and preparation of this certificate of analysis.

scope of accreditation may be found on [www.a2la.com](#) websites.
The aforementioned results on this report are representative of the samples submitted and may not be indicative of the entire manufacture, batch, and/or lot. Applicable current GMP's shall always be used when sampling. GLP's shall always be practiced by [www.a2la.com](#) to ensure the most accurate results