



600, Bancroft Way Suite A
Berkeley, CA 94710
Tel. (510) – 704-8930

Test Lab Cert. 3034.01

Customer: SofTap Inc

Address: 550 North Canyons Pkwy
Livermore, CA 94551

ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS

Sample Name: **Sterile Blue Ink**
Batch/Lot Number: 320, Lot: 8, 02/14
Sample Description: R/D Samples, 7 mL
Rush: 24 Hours
MQL accession# 121102-0049
Sample date: 11/02/18

Test Performed:	Test Method Number:	Client Specification:	Results:
Lead (Pb)	MQLTM-0278 By ICP-MS	Report	Not Detected
Arsenic (As)	MQLTM-0278 By ICP-MS	Report	0.444ppm
Cadmium (Cd)	MQLTM-0278 By ICP-MS	Report	0.008ppm
Mercury (Hg)	MQLTM-0278 By ICP-MS	Report	Not Detected

Prepared By:

Danielle Bartoli/Document Control

NOV 07 2018
11/07/18

Reviewed By:

Aritz Tijerino/Document Control

NOV 07 2018
11/07/18

Comment: N/A

_____, is an A2LA ISO 17025 accredited testing laboratory (Certificate Number 3034.01). The requirements of ISO 17025 were followed for the test, results and preparation of this certificate of analysis.

_____ scope of accreditation may be found on _____ websites.

The aforementioned results on this report are representative of the samples submitted and may not be indicative of the entire manufacture, batch, and/or lot. Applicable current GMP's shall always be used when sampling. GLP's shall always be practiced by _____ to ensure the most accurate results